



ISO/IEC 17025:2017
 PJLA Accreditation #: 75696
 Accreditation Field: Testing
 lab@summitnutritional.com

Report Number: 240709 009-06
 Date Reported: 07/22/2024
 Date(s) Tested: 07/09/2024 - 07/22/2024

Sample Details

Product #: 13188
 Description: Nitric Shock Fruit Punch
 Lot #: VNF240609
 Received: 7/9/2024 10:41:07 AM

Customer Information


Vox Nutrition
 8224 Industr Cir
 West Jordan, UT 84088

Sample Details: Exp. 06/2027

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Heavy Metals				
Arsenic	USP <2232> ¥	< 1.5	0.027	ppm
Cadmium	USP <2232> ¥	< 0.5	0.018	ppm
Lead	USP <2232> ¥	< 0.5	0.298	ppm
Mercury	USP <2232> ¥	< 1.5	< 0.001	ppm
Minerals				
Potassium	WI.ICP.409 ¥	> 75	80.853	mg/serving
Magnesium	WI.ICP.409 ¥	> 48	49.665	mg/serving
Physical				
Serving Size	SNL.MA.210		10000.000	mg
Average Net Fill Weight	Calculated Sample Weight		1.00	mg
Vitamins				
Vitamin B3 Niacinamide	WI.HPLC.306.07 ¥	> 20	20.156	mg/serving

Microbiology	Method	Specifications	Result	Units
Total Plate Count	AOAC Modified ¥	< 1000	<1000	cfu/g
Total Coliform	AOAC 2018.13 Petrifilm ¥	< 100	<10	cfu/g
E.coli	PCR ¥	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR ¥	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR ¥	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC Modified ¥	< 100	<100	cfu/g

Report Approved by: 
 Joel Nelson
 Laboratory Manager

*= Please review Client Specifications
 ¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit www.summitnutritional.com
 Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.
 This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.